



Decay Data Library In ENDF/B-VII

Alejandro Sonzogni
National Nuclear Data Center
Brookhaven National Laboratory

E-mail: sonzogni@bnl.gov

Methodology

- ❑ New ENDF/B-VII.0 decay data library
- ❑ Main sources:
 - ❑ Evaluated Nuclear Structure Data File (ENSDF), continuously updated
 - ❑ 2005 Nuclear Wallet Cards by J. Tuli (NNDC)
- ❑ Covers all nuclides from neutron ($Z=0$) to Rg ($Z=111$)
- ❑ 3830 materials
- ❑ Previous version done during 1988-1993 covering 979 materials

Methodology

Use of new Internal Conversion Coefficients (BRICC)



→ Better $\langle E_{CE} \rangle$

$\langle E_\beta \rangle$ from SPEBETA for
2nd forbidden non-unique
transitions

44 days < $T_{1/2}$ < 1x10⁷ years

³⁶Cl, ⁹⁹Tc, ¹²⁹I, ¹³⁷Cs

Nuclear waste



$T_{1/2}$ from Moller *et al.*
1 ms to 1 s
Partial $T_{1/2}$ information
No Decay information
other than Q-value

TAGS (Total Absorption Gamma Spectrometer)
10 s < $T_{1/2}$ < 2000 s, $Q_{decay} > 4$ MeV
Incomplete Decay Scheme
 $\langle E_\gamma \rangle$ and $\langle E_\beta \rangle$ from integral measurement
48 materials from INEL + 2 ISOLDE/Jyvaskyla
Subject of WPEC Subgroup 25

Decay Heat Calculations

Decay Heat (t) =


$$\sum \lambda_i \times N_i(t) \times E_i$$

E_i : energy released
in decay

More than 800
nuclides in ^{235}U
fission


TAGS=Total
Absorption Gamma
Spectrometer

INEL TAGS data
significantly
improves decay heat
calculations




Decay Heat Calculations


Comparison
between JEFF 3.1
decay data library
(2005) and
ENDF/B-VII β 2
decay data library
(2006)



Decay Heat Calculations




^{239}Pu Sensitivity Study






^{239}Pu Decay Heat Calculations

Effect of
new TAGS
data



^{235}U Decay Heat Calculations



Summary

- ❑ ENDF/B-VII decay data library part of beta 2 release, update will be part of beta 3.
- ❑ Sensitivity study to obtain list of priority nuclides
- ❑ Close interaction with members of WPEC Subgroup 25 (beta decay and decay heat)

Future

- ❑ Decay Heat calculations for fast energies and other actinides
- ❑ Review minor actinides decay evaluations
- ❑ Close collaboration with experimental groups performing TAGS measurements